




We provide superior performing compressed air & gas systems with










Superior Reliability & Longevity 最佳可靠性和使用年限

- Highly durable materials resistant to corrosion, vibration, thermal variation, and outdoor weather conditions.
- Metal clamshell connectors for all diameters are stronger and more durable versus polymer fittings.
- Unique grab ring design (20-50mm) and lugged ring (63-200mm) allows for zero risk of disconnection.
- Patented active concentric seals provide leak free performance, even in high vibration applications. Seal lifespan is double that of industry competitors.
- 耐腐蝕金屬材質與聚合物材質相比，强度高，壽命長，有效抵抗銹蝕，振動，熱脹冷縮及室外安裝的惡劣環境。
- 專利的抱箍式快插接頭技術，壽命是普通旋插式的一倍，並且更加穩定及抗衝擊。
- 專利設計的主動式壓力密封圈，耐壓更高，壽命更長，杜絕洩漏隱憂。

Quick & Easy Modular Installation 便捷的模組化安裝

- Complete range of pipe, fittings and accessories works easily for new projects renovations & extensions.
- R





1 Aluminum Pipe 剛性鋁合金管

2 Flanged Connector 法蘭片

3 Quick Connect 快速連接螺圈

5 Aluminum 90 Degree Elbow 90度彎頭

6 Flexible Hose 彈性耐壓管

7 Quick Plug Ball Valve 快速連接球閥

5 Quick Plug Ball Valve 快速連接球閥

6 Aluminum Quick Drop 支管快接頭

7 Quick Drop 支管快接頭

5 Quick Plug Equal Tee 快插組合等徑三通

6 Thread Quick Plug Ball Valve 快插組合螺紋球閥

7 Quick Plug Equal Tee 快插組合等徑三通

Product Range & Features

產品範圍和特性


Rigid Aluminum Pipe 刚性铝管

- Up to max.200mm diameter - 200m³/min flow single line.
- High-quality powder coating and colors customization.
- Designed for compressed air, vacuum, and inert gases.
- Light-weight & corrosion-free.
- 管徑最大200mm，最大流量200m³/min
- 高級粉體塗裝噴塗，耐久防腐，顏色可以定制
- 適用於所有噴油或無油壓縮空氣及惰性氣體
- 重量輕，防火UL90，可全天候室外安裝

- Quick connection.
- Available for BSP/NPT thread, flange, plug-in connection type.
- High-flow design ensures optimal performance.
- 一體式快接口，快速匹配管接頭
- 可選BSP或NPT標準螺紋，包括所有相關配件
- 高流速內徑設計耐久防腐

Pipe Connectors 快速管接頭

Flexible Hoses 彈性耐壓管



BLUE ALUMINUM PIPE 藍色鋁管

AIRpipe	DN	OD	ID
301 00 0100 01	20	20.1	17.5
301 00 0200 01	25	25.1	22.5
301 00 0400 01	40	40.1	36.5
301 00 0500 01	50	50.1	45.7
301 00 0600 01	63	67.8	63.0
301 00 0700 01	80	84.8	80.0
301 00 0800 01	100	101.8	96.8
301 00 0900 01	150	153.0	147.5
301 00 1000 01	200	205.0	197.8

*2.9M length please contact local sales.

GREEN ALUMINUM PIPE 綠色鋁管

5.8M Length

AIRpipe	DN	OD	ID
301 00 0100 03	20	20.1	17.5
301 00 0200 03	25	25.1	22.5
301 00 0400 03	40	40.1	36.5
301 00 0500 03	50	50.1	45.7
301 00 0600 03	63	67.8	63.0
301 00 0700 03	80	84.8	80.0
301 00 0800 03	100	101.8	96.8
301 00 0900 03	150	153.0	147.5

GRAY ALUMINUM PIPE 灰色鋁管

AIRpipe	DN	OD	ID
301 00 0100 02	20	20.1	17.5
301 00 0200 02	25	25.1	22.5
301 00 0400 02	40	40.1	36.5
301 00 0500 02	50	50.1	45.7
301 00 0600 02	63	67.8	63.0
301 00 0700 02	80	84.8	80.0
301 00 0800 02	100	101.8	96.8
301 00 0900 02	150	153.0	147.5
301 00 1000 02	200	205.0	197.8

*2.9M length please contact local sales.

END CAP 堵頭

AIRpipe	DN
302 08 0100 02	20
302 08 0200 02	25
302 08 0400 02	40
302 08 0500 02	50

*Union connector Included

EQUAL PIPE TO PIPE CONNECTORS 等徑管接頭

AIRpipe	DN
302 02 0100 01	20
302 02 0200 01	25
302 02 0400 01	40
302 02 0500 01	50
302 02 0601 05	63
302 02 0701 08	80
302 02 0801 08	100
302 02 1001 05	150
302 02 1101 05	200

EQUAL TEE 等徑三通

AIRpipe	DN
302 05 0100 02	20
302 05 0200 02	25
302 05 0400 02	40
302 05 0500 02	50

*Union connectors included

REDUCING PIPE TO PIPE CONNECTOR 異徑管對管接頭

AIRpipe	DN
302 05 0600 01	63
302 05 0700 01	80
302 05 0800 01	100
302 05 1000 01	150
302 05 1100 01	200

*Use three union connectors



QUICK DRG
快换

**FLANGE(ST/
FEMALE THF**
内螺纹法兰

111

FIXTURE CLAMPS & ACCESSORIES
管夾



THREADED ADAPTORS
轉接頭



ATMOLYSIS BAG
分析袋



ALUMINUM PIPE DEBURRER
鋁管去毛刺器



ADJUSTABLE BRACKET
可伸縮支架



WALL MOUNTED BRACKET
懸臂支架



SPANNERS
水泵鉗



GRIDER CLAMP
老虎鉗



UNIVERSAL BEAM SUSPENDER
外向抱箍吊扣



SAMPLE BOX
演示包



TOOL BOX



ALUMINUM PIPE CUTTER
鋁管切割器



SQUARE STEEL CLAMP
壓板



FIXTURE CLAMPS & ACCESSORIES
萬向抱箍



CLAMP SPA
管夾墊

COM



DRILL (TAPPER)
鑽頭



ELECTRIC PIPE CUTTER
電動鋁管切割機



PIPE BENDING TOOL
彎管鉗



WIRE SUSPENSION CABLE
鋼絲繩



VORTEX FL METER
渦街流量計

COM



DRILL HOLDER
鑽頭夾具



FIXING BOLTS
螺栓



WELD STUDS
螺絲釘



LUGGING MACHINE
凸管機



PRESSURE METER
氣體壓力錶



MARKER
記號器



SQUARE STEEL
方鋼



SELF TAP SCREWS
螺絲



HOLE DEBURRER
去毛刺器



Superior Reliability!

最佳可靠性





Insertion Depth S For DN20-DN50 Connector
DN20-DN50 (3/4" - 2") 管路安裝插入深度S

DN	Insertion depth S (mm)	插入深度S (mm)
50		39

Deburr & Chamfer The Outer and Inner Edges Before Installation
安裝前去除管端切口內外的毛邊

- []
- []


Installation Guide for DN20~DN50 安裝指導DN20-DN50 (3/4" - 2")



Hand-held hydraulic lugging machine operation requirements 手持液壓凸管器作業要求



Manually open the jaws of the clamp and insert the aluminum pipe into the clamp as far as possible.
人工張開凸管夾鉗頭，盡量插入管子內部到底。



Release the jaws. Press the trigger and crimp the pipe until a "snap" sound is heard.
合緊夾鉗頭，按壓液壓凸管器開關，使夾鉗頭咬住管子直到聽到咔嚓聲即停。



Re-open the two jaws to remove the pipe and rotate the pipe slightly. Put the jaw side to the mark position.
張開並移出凸管夾鉗頭，輕微轉動管子，把夾鉗頭放在標記位置。



Renew the operation until the required minimum number of lugs for each diameter is finished.
重複操作，直到完成對應管徑所需最小凸管數。



Sizing Chart for Quick Drops 快換尺寸表

Number of lugs for each diameter: 各管徑凸管數

AIRPIPE	DN83	DN80	DN100	DN150	DN200
快換凸管器	DN83	DN80	DN100	DN150	DN200

Dr 管徑	Dr 快換	DN(MM)	Quick Drops (PN)	快換 (PN)



Engineered for Superior Performance 產品設計，只為最佳服務

We are committed to provide superior products and service.

we are at your **SERVICE**
我們就在您身邊

